





1  **Earthquakes*****Earth, 12<sup>th</sup> edition, Chapter 11***2  **Chapter 11 – Earthquakes**3  **What Is an Earthquake?**


- An earthquake is ground shaking caused by the sudden and rapid movement of one block of rock sliding past another
  - Rocks slide past one another along fractures in the crust called faults
  - Most earthquakes occur along preexisting faults
  - Most faults are *locked except* for brief, abrupt movements (earthquakes)

4  **What Is an Earthquake?**


- Earthquake
  - Rock slippage originates in the ground at the focus or hypocenter
  - The epicenter is the point on the ground surface directly above the focus
  - Stored up energy is released as seismic waves that radiate in all directions from the focus

5  **Earthquake hypocenter and epicenter**6 7 8  **What Is an Earthquake?**

- Discovering the Causes of Earthquakes
  - Energy released from volcanic eruptions, massive landslides, and meteorites can generate earthquake-like waves—but these are usually weak
  - Over tens to hundreds of years, stress builds up from plate movement. Eventually, stress along the fault overcomes the frictional resistance, and slip initiates as the rocks break
    - The deformed rocks “snap back” to their original position in a process called elastic rebound

9  **Elastic Rebound**10 11 12  **What Is an Earthquake?**

- Aftershocks and Foreshocks
  - Numerous small earthquakes, called aftershocks, usually follow a major earthquake
    - Diminish in frequency and intensity in the months following
    - Although weaker than the main event, aftershocks often trigger the destruction of already weakened structures
  - Foreshocks are minor earthquakes that sometimes precede a major earthquake by days, weeks, or months

13  **Faults and Earthquakes**

- Earthquakes occur along both new and preexisting faults in places where differential stresses cause the crust to break
  - Normal—associated with divergent plate boundaries
    - Not associated with large earthquakes
  - Reverse and thrust—associated with convergent plate boundaries
    - In a subduction zone, the boundary forms a megathrust fault
    - Produce most of Earth’s powerful earthquakes, generate tsunamis
  - Strike-slip—associated with transform plate boundaries
    - Gradual displacement called fault creep
    - Ruptures result in major earthquakes

14 15  **Megathrust and Strike Slip Faults**16  **Megathrust and Strike Slip Faults**17 

18  **Displacement of Structures Along a Fault**

19 

20  ***Displacement produced by the 1906 San Francisco earthquake***

21  **Faults and Earthquakes**

- Fault Rupture and Propagation
  - Slippage along large faults does not occur instantaneously
    - Initial slip begins at hypocenter and propagates along the fault surface
    - Slippage adds strain to adjacent sections triggering more slippage
    - Slippage mainly travels in one direction
  - Fault slip is the amount of displacement on the fault surface

22  **Fault Propagation**

23  **Fault Propagation**

24  **Fault Propagation**

25  **Fault Propagation**

26  **Seismology: The Study of Earthquake Waves**

- Seismology is the study of earthquake waves
- Earliest studies of earthquake waves date back almost 2000 years to the Chinese


27  **Ancient Chinese Seismograph**

28  ***Seismologist***

*one who studies the shaking of Earth*

29  **Seismology: The Study of Earthquake Waves**

- Instruments That Record Earthquakes
  - Seismographs (or seismometers) record the movement of Earth in relation to a stationary mass on a rotating drum or magnetic tape
    - Based on principle of inertia
  - Earthquakes cause vertical and horizontal ground movement
    - More than one type of seismograph is needed to record and accurately describe intensity of shaking

30  **Principle of the Seismograph**

31 


32  ***Seismograph designed to record vertical ground motion***

33  **Seismology: The Study of Earthquake Waves**

- Seismic Waves
  - Records obtained are called seismograms
  - Types of seismic waves
    - Body waves travel through Earth's interior
      - Primary (P) waves are compression waves
        - » Can travel through all materials
      - Secondary (S) waves are shear waves
        - » Can only travel through solid material
    - Surface waves travel in the rock layers just below Earth's surface

34  **The Characteristic Motion of P Waves and S Waves**


35  **Body Waves Versus Surface Waves**

36  **Seismology: The Study of Earthquake Waves**


- Surface waves
  - Two general directions of motion
    - One causes the ground to move up and down, similar to the movement of ocean swells
    - The second causes the ground to move side to side
      - Causes the greatest destruction

37  **Two Types of Surface Waves**38  **Seismology: The Study of Earthquake Waves**


- Body waves versus surface waves
  - P waves:
    - first to arrive at a recording station
    - have the lowest amplitude
  - S waves:
    - second to arrive at a recording station
  - Surface waves:
    - have the lowest velocity
    - last to arrive at a recording station
    - have the highest amplitude
    - cause the greatest property damage

39  **Typical Seismogram**40  **Locating the Source of an Earthquake**




- Seismologists first locate the *epicenter*
  - Developed by using seismograms from earthquakes whose epicenters could easily be pinpointed
    - Travel-time graphs were constructed
  - Using travel-time graphs and *triangulation* we can locate an epicenter
    - Time interval between first P wave and first S wave
    - Find location on graph where vertical separation between curves is equal to that time interval
    - Read the distance to the epicenter
    - Repeat with two or more seismic stations

41  **Triangulation**42  **Triangulation**43  **Triangulation**44  **Triangulation**45  **Determining the Size of an Earthquake**

- Two fundamentally different measurements are used to describe the size of an earthquake
  - Intensity: a measure of the amount of ground shaking at a particular location based on observed property damage
  - Magnitude: quantitative measurement of ground motion based on data from seismic records used to estimate of the amount of energy released at an earthquake's source


46  **Determining the Size of an Earthquake**

- Intensity scales
  - The Modified Mercalli Intensity scale was developed using California buildings as its standard
    - Developed in 1902 by Giuseppe Mercalli
    - Based on property destruction in a region
    - Values change based on the distance from the epicenter

47  **Modified Mercalli Intensity Scale**48  **Seismic Intensity Map**49  **Determining the Size of an Earthquake**

- Magnitude scales
  - Richter magnitude
    - Concept introduced by Charles Richter in 1935
    - The Richter scale is calculated by measuring the amplitude of the largest seismic wave (usually A wave) recorded on a seismogram
      - Logarithmic scale that accounts for the decrease in wave amplitude with increased distance

– Each unit on the scale means a *10-fold* difference in *wave amplitude* and a *32-fold* difference in *energy released*

50  **Determining the Richter Magnitude of an Earthquake**

51 

52  **Determining the Richter Magnitude of an Earthquake**

53  **Determining the Size of an Earthquake**

- Magnitude Scales
  - Moment magnitude ( $M_W$ ) measures the total energy released during an earthquake
    - Newer scale:
      - Calculated by the average amount of slip on the fault, the area of the fault surface that slipped, and the strength of the faulted rock
    - Can also be calculated by modeling data from seismograms


54  **Annual Occurrence of Earthquakes with Various Magnitudes**

55  **Earthquake Destruction**

- Amount of destruction attributable to an earthquake varies based on:
  - Magnitude of the earthquake
  - Proximity of a populated area to the epicenter


56  **Earthquake Destruction**


- Destruction from Seismic Vibrations
  - The amount of damage to structures depends on:
    - The earthquake *intensity*
    - The *duration* of the vibrations
    - The *nature of the material* beneath the structures
    - The *nature of building materials* and *construction practices* of the region

57  **Damage caused by the 1964 Anchorage, Alaska earthquake**

58  **Earthquake Destruction**

- Destruction from Seismic Vibrations
  - Amplification of seismic waves
    - Soft sediments amplify seismic waves more than solid bedrock
  - Liquefaction
    - The phenomenon where loosely packed, waterlogged sediments behave as a fluid during the intense shaking of an earthquake

59  **Liquefaction**


60  **Liquefaction**


61  **Earthquake Destruction**


- Destruction from Seismic Vibrations
  - Seiches
    - Rhythmic sloshing of water in lakes, reservoirs, and enclosed basins
    - Can be dangerous to small watercraft or if the sloshing causes water to spill over the dams of reservoirs


62  **Earthquake Destruction**


- Landslides and Ground Subsidence
  - Ground shaking causes loose sediments on a slope to slump
  - Often the greatest damage from earthquakes
- Fire
  - Can start when gas and electrical lines are destroyed by an earthquake
  - Broken water lines make fire control nearly impossible














63  **Damage caused by the 1959 Hebgen Lake, Montana earthquake**


64  **Damage caused by the 1959 Hebgen Lake, MT earthquake**

65  **Damage caused by the 1959 Hebgen Lake, Montana earthquake**

66  **Damage caused by the 1959 Hebgen Lake, Montana earthquake**

67  **Damage caused by the 1959 Hebgen Lake, Montana earthquake**

- 68  **Turnagain Heights Slide Caused by the 1964 Alaskan Earthquake**
- 69  **Earthquake Destruction**
- What Is a Tsunami?
    - A series of large ocean waves (“harbor waves”)
      - Most are generated by displacement from a megathrust fault
      - Resemble ripples from a pebble dropped into a pond
      - Advance across the ocean at 800 km/hr
      - In open water, the wave amplitude is less than 1 m and the wavelength can be larger than 700 m
      - Close to shore, the water “piles up” and some tsunamis can exceed 30 m in height
- 70  **Tsunami Generated by Displacement of the Ocean Floor**
- 71  **Earthquake Destruction**
- Tsunami damage from the 2004 Indonesian earthquake
    - The tsunami was caused by an undersea earthquake near Sumatra and is one of the deadliest natural disasters
  - Japan tsunami
    - The tsunami generated from the 2011 Tohoku earthquake was 40 m high and a Pacific-wide event, affecting not only Japan but also the west coast of North America
- 72  **Tsunami Generated Off the Coast of Sumatra, 2004**
- 73  **Japan Tsunami**
- 74  **Meanwhile, in San Diego...**
- 75  **Earthquake Destruction**
- Tsunami warning system
    - Observations in the Pacific Ocean allow scientists to track tsunamis and issue appropriate warnings to affected areas
      - Seismic observatories report large earthquakes to the Tsunami Warning Center
      - A series of deep-water buoys in the Pacific Ocean detect energy released by earthquakes
      - Tidal gauges measure sea level rise and fall
- 76  **Tsunami Travel Times**
- 77  **Where do Most Earthquakes Occur?**
- About 95% of energy released from earthquakes originates along fault surfaces where tectonic plates interact
    - The zone of greatest seismic activity is called the circum-Pacific belt
    - The largest earthquakes occur along megathrust faults of convergent plate boundaries
- 78  **Where do Most Earthquakes Occur?**
- The *Alpine-Himalayan belt* is another region of strong earthquakes
    - Tectonic activity is attributed to the collision of the African and Indian Plates with the Eurasian Plate
  - Divergent plate boundaries are associated with frequent but weak seismic activity
  - Transform faults tend to generate large earthquakes on a cyclical basis
- 79  **Earthquake Belts**
- 80  **Damaging Earthquakes East of the Rockies**
- Six major earthquakes and several others have inflicted considerable damage in the central and eastern US
    - Three with estimated Richter magnitudes of 7.5, 7.3, and 7.8
    - Centered near the Mississippi River valley
    - Occurred on Dec. 16, 1811, Jan. 23, 1812, and Feb. 7, 1812
    - Destroyed the town of New Madrid, Missouri
      - Suggests potential major damage in Memphis’ future
    - Aug. 31, 1886 in Charleston, SC, was the greatest historical earthquake in the eastern US

81  **Damaging Earthquakes East of the Rockies**82  **Damaging Earthquakes East of the Rockies**83  **Can Earthquakes Be Predicted?**

- Short-Range Predictions
  - The goal is to provide a warning of the location and magnitude of a large earthquake within a narrow time frame
  - Efforts to accomplish this in Japan, US, China, Russia
  - Research has concentrated on monitoring possible precursors of major earthquakes:
    - Monitor changes in ground elevation
    - Measure strain in the rocks
    - Measure changes in groundwater level
    - Frequency of foreshocks

84  **Can Earthquakes Be Predicted?**

- Short-Range Predictions
  - Must have a small range of uncertainty in regards to location and timing
    - Must produce few failures and false alarms
  - Currently, no reliable methods exist for making short-range earthquake predictions
  - Generally concluded that short-range prediction is not feasible

85  **Charles Richter on quake prediction:**86  **Can Earthquakes Be Predicted?**





- Long-Range Forecasts
  - Give the probability of earthquakes of a certain magnitude occurring on a time scale of 30 to 100 years (or more)
    - Useful guide for building codes, dams, roadways, etc.
  - Based on evidence that many large faults break in a cyclical manner, producing earthquakes of roughly the same magnitude at roughly similar intervals

87  **Can Earthquakes Be Predicted?**

- Long-Range Forecasts
  - Seismic gaps are tectonically quiet zones along a fault where strain is currently building up
    - The stored strain will be released in a future earthquake
    - Strain can be estimated using known rate of plate movement
  - Paleoseismology is the study of prehistoric earthquakes
    - By digging a trench across a fault zone, scientists look for evidence of ancient faulting (mud volcanoes and offset sedimentary strata)

88  **Seismic Gaps: Tools for Forecasting Earthquakes**89  **Paleoseismology: The Study of Prehistoric Earthquakes**90  ***Mid-continent Earthquakes:***

*Life NOT on the Edge*

91  ***Earthquake Hazards in the U.S.***92  ***Way back in 1811 and 1812...***93 94  ***Waves on the Mississippi***95  ***1811 – 1812 estimated magnitudes***96  ***Intensity Map for 1811 - 1812***97  ***Relative Earthquake***


*Energy Transfer:*

98  ***t***99  ***t***100  ***1811 – 1812 estimated magnitudes***101  ***Memphis***102  ***AutoZone HQ, Memphis***

103  ***The Sterick Building, Memphis***

*Completed in 1930, repainted in 1960's, vacant since 1980's*


*(NOT quake-code compliant)*

104  ***The St. Louis Arch***


*Completed in 1965, brought down in 20??*

105  ***Earthquake Survival Kit***

*do you know where yours is?*

106  ***Plan ahead...***

107  ***note the 'kink' in the bridge...***

108  ***End of Chapter***